

DieTronic
lubricating technology

MINIMAX 16
SECTORIAL

Installation report

@Gorenje Gajo - Slovenia



Application:

Machine sold to:

HENNLICH indusijska tehnika d.o.o.

Final customer:

Gorenje GAIO, d.o.o.



Previous lubrication:

gorenjegroup
SLOVENIA



DieTronic
lubricating technology

PROJECT:

Installation of DieTronic Minimax spray
lubrication system with sectorial
application

Oil Media: Emulsion
Min. Spray Pattern: 100x100 mm
Application Type: Coil
Products: Refrigeration

MINIMAX Configuration:

gorenjegroup
SLOVENIA



MINIMAX
CONTROL UNIT
FOR SECTORIAL
LUBRICATION
with 40 lt tank



DieTronic
lubricating technology

CLOSED SPRAYING BOX WITH SUPPORT FOR NOZZLES

BOX 800 mm
8 nozzles upper side
8 nozzles lower side

KA4 NOZZLES WITH
INTEGRATED AIR AND
PRESSURE CONTROL





SKARJE
5-5830-150

DieTronic
lubricating technology

gorenjegroup

SLOVENIA



DieTronic
lubricating technology

VIDEO SAGOMAX:

gorenjegroup
SLOVENIA



DieTronic
lubricating technology

Advantages of DieTronic Minimax :

- *Significant reduction of lubricant usage*
- *Controlled and homogeneous oil application*
- *Process automatization and repeatability*
- *Safer and cleaner working environment*
- *Easy access to all the machine's components for maintenance purposes*

UPCOMING PROJECTS:

- COMBI 4400 – HYUNDAI ROTEM / KIA INDIA
 - COMBI 4200 – OPEL ZARAGOZA
 - SAGOMA 1000 – AGA RANGEMASTER
 - SAGOMA 1400 – GIRARDINI
- SAGOMA 1000 with conveyors – KENT CORPORATION / ELKAY
 - SECTORIAL MINIMAX – AT ENGINEERING

FOLLOW US AND SHARE:



New website www.dietronic.eu

DOWNLOAD OUR LATEST CATALOGUE:

