



DieTronic
lubricating technology

Via Madre Teresa di Calcutta, 9/13
26866 - Sant'angelo Lodigiano
ITALY

www.dietronic.eu

**IMPIANTO
PLANT**

Antirust
2020

**TENSIONE
VOLTAGE**

3 x 400 VAC

**CLIENTE
CUSTOMER**

**FREQUENZA
FREQUENCY**

50 Hz
60 Hz

**MODELLO
MODEL**

Antirust

**AUSILIARI
AUXILIARY CIRCUIT**

24VDC
48VDC

**MATRICOLA
SERIAL NUMBER**


2020...


**POTENZA INSTALLATA
INSTALLED POWER**


1KW


**PAGINE TOTALI
TOTAL SHEET**

13









Segnale A encoder
Signal A encoder

Livello olio Minimo
Low Oil level


Livello ricarica
Recharge level


Azionamento pompa pronto
Pump Drive Ready


Termico aspiratore
Over load suction motor


Termico sollevatore
Over load lift motor
(optional)

Fotocellula start
Start spraybox photocel













1	2	3	4	5	6	7	8	9	10	11	12	13	14
---	---	---	---	---	---	---	---	---	----	----	----	----	----


8.14 24 10.1

8.14 0 10.1









X1							
a		b		c		d	
1	CH1	1	24	1	CST	1	U1
2	CH2	2	0	2	TX		
3	CH3	3	SF1	3	RX	2	V1
4	CH4	4	SF2	4	Shield		
5	CH5	5	SF3	5	101.03	3	W1
6	CH6	6	SF4	6			
7	CH7	7	SF5	7		4	U2
8	CH8	8	SF6	8			
9	0.11	9	SF7	9		5	V2
10	100.01	10	SF8	10			
11	1.01	11		11		6	W2
12	1.02	12		12			

Connettore cassetta spruzzatura
 Spraybox plug