





ISO 2768-2 K											
Range	0-10	>10-30	>30-100	>100-300	>300-1000	>1000-3000	0-100	>100-300	>300-1000	>1000-3000	
Tolerance	0.05	0.1	0.2	0.4	0.6	0.8	0.4	0.6	0.8	1	0.2
Default tolerance except material stock dimensions											
ISO 2768-1 m Linear							Radii and Chamfers			Angular Dimensions	
Range	>0.5-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000	>0.5-3	>3-6	>6	0-10
											>10-50
											>50-120
											>120-400
											>400
Toler.	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±0.2	±0.5	±1	±1°
											±0.5°
											±0.32°
											±0.16°
											±0.08°

-	PRIMA EMISSIONE	FedericoZoppetti	25/11/2024		
REV	Description	Designed	Date	Released	Date
 	Raw material:	 FIRST ANGLE PROJ.	 ISO 13715	Weight 105,02	A
	Surface treatment:				
	Heat treatment:				
	Material	Scale 1 : 5	Sheet size A3	Sheet 1 / 1	
	Description HMI 19" Panel	Part number G000510		Rev. -	
This document contains CONFIDENTIAL proprietary information which shall NOT be used, reproduced, or disclosed without prior written approval of Dietronic s.r.l. Notice ISO 16016.					

This document contains CONFIDENTIAL proprietary information which shall NOT be used, reproduced, or disclosed without prior written approval of Dietronic s.r.l. Notice ISO 16016.