








A

ISO 2768-2 K 															
Range	0-10	>10-30	>30-100	>100-300	>300-1000	>1000-3000	0-100	>100-300	>300-1000	>1000-3000					
Tolerance	0.05	0.1	0.2	0.4	0.6	0.8	0.4	0.6	0.8	1	0.2				
Default tolerance except material stock dimensions															
ISO 2768-1 m Linear							Radii and Chamfers			Angular Dimensions					
Range	>0.5-6	>6-30	>30-120	>120-400	>400-1000	>1000-2000	>2000	>0.5-3	>3-6	>6	0-10	>10-50	>50-120	>120-400	>400
Toler.	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±0.2	±0.5	±1	±1°	±0.5°	±0.32°	±0.16°	±0.08°

-	PRIMA EMISSIONE		FedericoZoppetti	23/02/2024		
REV	Description		Designed	Date	Released	Date
 	Raw material:		 FIRST ANGLE PROJ.	 ISO 13715	Weight	
	Surface treatment:				0	
	Heat treatment:					
	Material		Scale 1 : 23	Sheet size A3	Sheet 1 / 1	
	Description Electrical Cabinet 1200x600x2000		Part number P000798			Rev.

This document contains CONFIDENTIAL proprietary information which shall NOT be used, reproduced, or disclosed without prior written approval of Dietronic s.r.l. Notice ISO 16016.